Elevate your expectations!



TIPTRAK overview

For over 45 years, TipTrak™ Bucket Elevators have defined the frontiers of gentle handling, low maintenance and spillage prevention.

Every TipTrak[™] features a patented stainless-steel reinforced rubber chain which, once installed, never requires lubrication or tensioning. The utilization of rubber chain technology also significantly reduces noise.

The continuous interlocking bucket assembly running through the TipTrak™ offers smooth handling and prevents product damage, spillage, spillage-related hazards, clean-up and maintenance.

Three models, choice of carbon or stainless steel construction, and full customizability means that TipTrak[™] can be made to perfectly suit each and every unique application and environment.

When it comes to continuous conveying and preventing material degradation, TipTrak™ is a must-have asset for long-term uptime and return on investment.



NO PRODUCT DEGRADATION

NO SPILLAGE

HASSLE FREE

NON-METALLIC BUCKET ASSEMBLY

MADE TO LAST

CAPACITY

UP TO 40 CU.FT./MIN (depending on product characteristics)


MODELS

TIPTRAK OPEN TUBULAR

TIPTRAK PEC

TIPTRAK MONOCOQUE

CONFIGURATIONS



MATERIALS HANDLED

CHEMICAL, PLASTIC & RUBBER MAGNESIUM FLUORIDE

- ADHESIVE AGRICULTURAL CHEMICALS
- ALUMINA
 AMMONIUM NITRATE
- BAKING SODA
 BATTERY MIX
- CARBON BLACK
- CATALYST
- CERAMIC SAND
 CHLORINE POWDER
- COMPOUND COATED SEEDS
- CRUMB RUBBER
 DETERGENT
- ETHYL CENTROLITE EXPLOSIVES
- FILTER CAKE
 GLASS MARBLES
- HERBICIDE
- IRON OXIDE

FOOD PRODUCTS

- COFFEE BEANS, GROUND,
- SOLUBLE CANDY MOLDED CANDY PACKETS
- CHEWING GUM
 CHOCOLATE COVERED NUTS
- COUGH DROPS
 IELLY BEAN CENTERS
- FROZEN FRUIT
 VEGETABLES FRESH & FROZEN
- FROZEN FRENCH FRIES CEREAL
- CEREAL FLAKES



- RESINS
 RUBBER PELLETS
- SILICA GEL
 SILICONE POWDER
- SOAP POWDER
 SODA ASH
- SODIUM AZIDE
 SODIUM BOROHYDRIDE
- STABILIZER PASTILLES & FLAKES
 STEEL/IRON POWDER
- SULPHUR PASTILLES
 TALC POWDER
- TONER
- T.N.T. VICRON
- WAX FLAKES
- MINI PITA BREAD
- PACKAGED NOODLES
- SPICED BREAD CRUMBS
 FROZEN PASTA (IN BAGS)
- PET FOOD PELLETS
 POTATO CHIPS
- PEANUTS
 SNACK FOOD
- SOY PRODUCT • RICE
- - PASTA
 COOKIES





TIPTRAK **OPEN TUBULAR**

The Open TipTrak[™] offers at-aglance monitoring, and easy cleaning access with a frame of square steel tubing (stainless or painted carbon steel). Personnel guarding and a multitude of other options allow for full customization of the equipment.




TIPTRAK MONOCOQUE

The Monocoque TipTrak[™] features a fully sealed construction and is ready to operate in explosive, hazardous, and contamination-sensitive environments. This fully-customizable model can be gas-purged and subjected to positive or negative pressure.



TIPTRAK PEC

The PEC TipTrak[™] is suitable for most applications and is our best-selling model. The enclosed design means that dust is contained and operators are protected. This fully-customizable unit is ready to handle your elevating and conveying challenges.



SALES@UNITRAK.COM TEL NA: 1.905.885.8168 UK: +44 (0) 1457 865038

LEARN MORE AT: UNITRAK.COM/HIGH-CARE

Sanitary Vertical Belt Conveyor



KLEANTRAK overview

The KleanTrak conveyor from UniTrak is a cleated belt conveyor specifically engineered to overcome the challenges of sanitary conveying. These conveyors are designed to allow easy cleaning in food, pharmaceutical, and other washdown environments.

KleanTrak features a sanitary design which dramatically improves cleanability and minimizes the risk of pathogen or allergen contamination. KleanTrak conveyors use a cleated FDA-approved belt in a patented tensionless drive system which provides no belt slippage or stretch. Frames are made from 304 stainless steel and a variety of finishes are available, including electropolishing.

Each KleanTrak conveyor is equipped with a washdown duty drive motor and corrosion resistant bearings. Conveyors can elevate from 15° to 90°, and available options include a stationary base with leveling feet, or portable base assembly.

FDA-APPROVED SANITARY BELT

OPEN DESIGN FOR FAST & EASY CLEANING

MINIMAL HORIZONTAL SURFACES

EASY TO SANITIZE IN-PLACE

WASHDOWN DUTY MOTOR & CORROSION RESISTANT BEARINGS



DESIGN PARAMETERS

- Maximum height: 40 feet (12 meters)
- Width: up to 24" (600 mm)
- Temperature: -30°F to +212°F (-34°C to +100°C)
- Capacity up to 40 cubic feet (1 cubic meter) per hour
- All stainless steel with sealed, corrosion resistant bearings
- · Washdown duty motor
- Tool-free disassembly for easy cleaning access

BELT

- Belt is made from Polyurethane
- Meets FDA regulation 21 CFR 1777.2600 & meets EU 1935/2004/EC
- Available in blue, white and natural
- Corrugated sidewalls for product containment
- Variety of cleats and scoops available
- Resistant to most cleaning materials (consult factory for full list)
- · Available as an endless belt or laced

Belt Styles

- Flat top matte finish
- Embedded diamond top superior product release
- NubTop[™] provides "grip" or "release" characteristics for difficult products

AVAILABLE OPTIONS

- Portable / mobile base
- Removable personnel guarding
- Infeed and discharge chutes
- CIP system / drain pans
- Tilting mechanism
- Controls package

MATERIALS HANDLED

- COFFEE BEANS, GROUND, SOLUBLE
 CANDY MOLDED
 CHEWING GUM
 CHOCOLATE COVERED NUTS
 COUGH DROPS
 COUGH DROPS

- NOODLES
 SPICED BREAD CRUMBS
 PET FOOD
 POTATO CHIPS PEANUTS
 NUTS
 SNACK FOOD

NOODLES

SOY PRODUCT

- GOUGH DROPS
 JELLY BEAN CENTERS
 FROZEN FRUIT
 VEGETABLES FRESH & FROZEN
 FROZEN FRENCH FRIES
 GEDETIN
- CEREAL CEREAL FLAKES
- RICE • PASTA SHAPES COOKIES
 FISH, SHRIMP











Did you know that UniTrak specializes in high-care solutions for our customers?

LEARN MORE AT: UNITRAK.COM/HIGH-CARE

SALES@UNITRAK.COM TEL NA: 1.905.885.8168 UK: +44 (0) 1457 865038 HighOutput High Versatility Low Horsepower



POWDERFLIGHT Overview

For over 40 years, Powderflight conveyors have combined speed, reliability, flexibility and productivity to support your manufacturing processes. These advantages enable operational efficiency, and make Powderflight well suited to address the challenges associated with conveying materials such as powders, granules, pellets or flakes.

Powderflight aeromechanical conveyors operate on a simple principle. Within a steel tube, a wire rope with evenly spaced discs travels at high speed, running in sprockets at each end of the conveyor. As material is fed in, the air stream aerates or fluidizes it and carries it to the outlet, where it is discharged by centrifugal force.

DUST TIGHT

HIGH THROUGHPUT

SMALL FOOTPRINT

VERSATILE


IDEAL FOR MIXES & BLENDS


LOW ENERGY CONSUMPUTION

CAPACITY

UP TO 25 CU.FT./MIN (depending on product characteristics)

CONFIGURATIONS





MATERIALS HANDLED

- ADIPIC ACID
 ALUMINIUM CHLORIDE
- ALUMINIUM OXIDE
- ASBESTOS FINES
- BARYTES
- BENTONITE
- BRAN
- BROWN SUGAR
- CALCIUM CARBONATE CARBON BLACK
- CEMENT
- COFFEE BEANS
- COFFEE GROUNDS
 CROP SEEDS
- CURRY POWDER
 CUSTARD POWDER
- DEHYDRATED FOODS
 DETERGENT POWDERS
- DOG BISCUITS
 FLOCCULENTS
- GELATINE
- GRANULATED SUGAR
- GYPSUM
 ICING SUGAR
- IRON OXIDE
- · LEAD OXIDE
- LEAD SHOT
 LIMESTONE POWDER
- MAGNESIUM OXIDE

- MELAMINE POWDER • MILK POWDER • MOULDING POWDER
- PERLITE
 - PHTHALIC ANHYDRIDE
 - PIGMENTS
 PLASTIC GRANULES
 POTATO FLOUR

 - REFRACTORY POWDER RESINS
 - SALT SAND

 - SILICA
 SOAP GRANULES

 - SODIUM SULPHATE
 SOYA FLOUR
 - STARCH
 - STERILIZING POWDER
 - SUGAR BEET PULP DUST
 TALCUM POWDER
- TILE DUST
- TITANIUM DIOXIDE
- TOBACCO FINES
 UREA PRILLS
- WATER TREATMENT POWDERS
- WHEAT FLOUR
- YEAST EXTRACT
- ZINC OXIDE ZIRCONIUM SAND



STANDARD 90° POWDERFLIGHT



LARGE HOPPER WITH DUST HOOD



LARGE HOPPER WITH **DUST HOOD & INTEGRAL** SCREW FEEDER



TUBE CUTAWAY

STANDARD HOPPER



SACK TIP / BAG DUMP HOPPER



PORTABLE/MOBILE POWDERFLIGHT



WITH LID/COVER





SALES@UNITRAK.COM TEL NA: 1.905.885.8168 UK: +44 (0) 1457 865038

LEARN MORE AT: UNITRAK.COM/HIGH-CARE

Flexible Cost Effective Small Footprint



UNIFLEX overview

Providing durability and reliability to a wide range of applications, the UniFlex flexible auger is a simple yet rugged conveyor with only one moving part.

This versatile equipment is capable of transporting a wide range of free-flowing powders, granules, or small pellets, safely and reliably anywhere in your plant.

UniFlex conveyors easily integrate with a vast array of upstream and downstream equipment types.



SMALL & FLEXIBLE

TROUBLE-FREE

RELIABLE

DUST TIGHT

STOP & GO

CUSTOMIZABLE

CAPACITY


UP TO 6 CU.FT./MIN (depending on product characteristics)

MODELS

UNIFLEX

EASY CLEAN

CONFIGURATIONS



MATERIALS HANDLED

NON-FOOD

- ALUMINA OXIDE
 BENTONITE
- CALCIUM CARBONATE
 CEMENT
- DETERGENT POWDER
 FERTILIZER
- HERBICIDE
 LIGNIN POWDER
- NEOPENTYL GLYCOL

FOOD

- ANIMAL FEED SUPPLEMENT
- ANIMAL FEED SUPPLE
 BREAD CRUMBS
 CHICK PEAS, LENTILS
 COFFEE
 CORN STARCH

- FLAX FLOUR
- GRANULATED GARLIC
- GUAR POWDER

PLASTIC PELLETS POLYSTYRENE BEADS

- POTASH
 SAND
- SODIUM METABISULPHITE
 STARCH
- TSP
- UREA • ZINC OXIDE
- MUSTARD SEED
- PEANUTS
 PROTEIN POWDER RICE PASTA
 STARCH
- SPICE BLENDS SUGAR
- VEGETABLES DEHYDRATED WHEAT FLOUR





EASY CLEAN

Did you know that UniTrak specializes in high-care solutions

for our customers?

SALES@UNITRAK.COM TEL NA: 1.905.885.8168 UK: +44 (0) 1457 865038

LEARN MORE AT: UNITRAK.COM/HIGH-CARE

Simple Sanitary Cost Effective



EASY-CLEAN UNIFLEX **OVERVIEW**

The Easy-Clean UniFlex auger/screw conveyor is a simple, but ruggedly designed conveyor. This versatile piece of equipment is capable of transporting a wide range of free flowing powders, granules, or small pellets safely and reliably. It features rounded corners for ease of cleaning and is totally fabricated from type 304 stainless steel.

Easy-Clean UniFlex conveyors easily integrate with a vast array of upstream and downstream equipment. The Easy-Clean UniFlex conveyor is comprised of two main sections, a fixed lower portable base frame with 4 swivel casters, and an upper converyor assembly.

The lower portable frame supports a bearing-shaft pivot system which allows the upper conveyor to be tilted down to a horizontal position. This upper conveyor assembly supports the infeed hopper, casing and drive / discharge assembly.

RELIABLE

PORTABLE

FOOD-GRADE

ONLY ONE MOVING PART

SIMPLE TOOL-FREE DISASSEMBLY



UP TO 6 CU.FT./MIN

(depending on product characteristics)

MATERIALS HANDLED

- ANIMAL FEED SUPPLEMENT
- BREAD CRUMBS
- CHICK PEAS, LENTILS


- CORN STARCH
- FI AX

COFFEE

- FLOUR
- GRANULATED GARLIC
- GUAR POWDER
- PEANUTS PROTEIN POWDER RICE PASTA STARCH SPICE BLENDS

MUSTARD SEED

- SUGAR
- VEGETABLES DEHYDRATED • WHEAT FLOUR



TILT FEATURE

Special "tilt" feature that allows conveyor to be dropped to a horizontal position to facilitate easy cleaning and/or enable the unit to be moved to a cleaning location. Electric actuator safely pivots the conveyor from the "Working" to "Cleaning" position, with a simple press of a button on the control panel.



Sanitary stainless steel wash down gearmotor (OS4 protection)



Elimination of flat surfaces that can hold product



Casing - easily removed with toolfree T-handle clamps cleaning

reassembly - tool-less cleaning

Quick disassembly - fast



Hopper corners are rounded for easy



Control panel – NEMA 4X



Bolted-in safety grate



Discharge chute & drive assembly



Auger casing - 3" or 5"; UHMW or stainless steel

Did you know that UniTrak specializes in high-care solutions for our customers? LEARN MORE AT: UNITRAK.COM/HIGH-CARE

SALES@UNITRAK.COM TEL NA: 1.905.885.8168 UK: +44 (0) 1457 865038

Simple Safe Effective



BAGSTANDER BULK BAG DISCHARGERS **OVERVIEW**

Emptying bulk bags doesn't have to be a dirty, dusty and unsafe job. Bagstander bulk bag dischargers enable the complete emptying of large bags and Flexible Intermediate Bulk Containers (FIBC). The adjustable upper frame will accommodate bags of varying sizes. Your operators will be protected from the risk of injury during the bulk bag emptying.

FORK TRUCK

MODELS

BULK BAG SIZES HANDLED

FORK TRUCK

- For bulk bags up to 66" tall
- Customized units are available for taller bags

TOWER/HOIST

SAFE

STRONG

EASY TO USE

DUST FREE

SALES@UNITRAK.COM TEL NA: 1.905.885.8168 UK: +44 (0) 1457 865038

for our customers?

Did you know that UniTrak specializes in high-care solutions

TOWER/ HOIST Simple Safe Effective



BAGSTANDER Bulk bag filler OVERVIEW

Bulk bag fillers allow simple and easy filling of dry, free-flowing materials into FIBC bulk bags. Our Bulk Bag Fillers minimize dust and can be connected directly to your dust collection system. For operations requiring bulk bag filling in various locations in the facility, our Fort Truck model provides portability and convenience. Ensure safe, clean, consistent bulk bag filling with a UniTrak Bulk Bag Filler.

MODELS

BULK BAG SIZES HANDLED

FORK TRUCK

- Std Bag Filler bags from 39" to 72" tall
- Customized units are available for taller bags

FLOOR MODEL

Fork



Did you know that UniTrak specializes in high-care solutions for our customers?

LEARN MORE AT: UNITRAK.COM/HIGH-CARE

SAFE

STRONG

CLEAN



SALES@UNITRAK.COM TEL NA: 1.905.885.8168 UK: +44 (0) 1457 865038