

CuttingDevice

for precise and uniform cutting of food
and feed extrudates



Brabender®

... where quality is measured.

CuttingDevice

for precise and uniform cutting of food and feed extrudates

The CuttingDevice for Brabender single- and twin-screw extruders can be used, for example, to cut snack or feed extrudates to a specified length after they exit the die.

Due to its compact size, including integrated control electronics, it is particularly suitable for laboratory operation.

The cutting process can be continuously observed via a plexiglass window in front of the cutting chamber. After cutting, the extrudates fall down into a provided container.

The hygienic design of the CuttingDevice reduces the retention of product residues after the cutting process. The special safety concept prevents the knives from stopping directly before the die opening.

Technical data

- Mains connection: 230 V +N+PE / 50-60 Hz / 2.2 A / 0.5 KW
- Max. speed: blades 1125 rpm, max. cut with 8 blades: 9000 rpm
- Dimensions (W x H x D):
CuttingDevice: 325 mm x 386 mm x 370 bis 430 mm,
Control unit: 360 mm x 190 mm x ca. 350 mm
- Weight (kg):
CuttingDevice (without knives) 13.2 kg,
Control unit 15.7 kg



Highlights

Changeable number of cutting blades

for various food and feed applications (4 or 8 blades)

Continuous control of the cutting process

through protective plexiglass window

Easy operation


Setting of the set speed numerically via input field as well as graphically via slider control in MetaBridge software

Flexible product geometry

by exchanging the die insert on the extruder and adjusting the cutting gap for different lengths, easy and exact positioning of the distance between blades and die by means of threaded spindle



Threaded spindle for adjusting the blade-die distance



8-blade knife in front of the die opening (also available as 4-blade knife)

Brabender® GmbH & Co. KG

Headquarters Germany
Kulturstrasse 49 - 51
D-47055 Duisburg
Phone: +49 203 7788 0
sales@brabender.com
www.brabender.com

C.W. Brabender® Instruments, Inc.

USA
50 East Wesley Street
South Hackensack, NJ 07606
Phone: +1 201 343 8425
sales@cwbrabender.com
www.cwbrabender.com

000 Brabender®

Russia
Yagodinskaya St. 25
420032 Kazan
Phone: +7 843 233 46 66
000.brabender@brabender.ru
www.brabender.ru



Headquarter Germany



Contact us 24/7: +49 203 7788-131

Brabender agencies worldwide.
© 2022 Brabender GmbH & Co. KG

All trademarks are registered. Subject to design
and technical modifications without notice.

Brabender®
... where quality is measured.